



BE SURE. BUILD SURE.

Page 1/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 20.07.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **MC-Injekt 2133 flex**

Article number: 3763

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

#### Application of the substance / the mixture

Polyurethane resin  
Injektion

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533

Informing department: Technische Abteilung  
msds@mc-bauchemie.de

#### 1.4 Emergency telephone number:

Tel.: +49 / (0)700 24112112 (MCR)  
Tel.: +48612864565

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer.

STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

#### 2.2 Label elements

##### Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

GB



BE SURE. BUILD SURE.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 20.07.2018

Trade name MC-Injekt 2133 flex

(Contd. of page 1)

**Hazard pictograms**



GHS07 GHS08

**Signal word**

Danger

**Hazard-determining components of labelling:**

diphenylmethanediisocyanate, isomeres and homologues

**Hazard statements**

H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H317 May cause an allergic skin reaction.  
H351 Suspected of causing cancer.  
H335 May cause respiratory irritation.  
H373 May cause damage to organs through prolonged or repeated exposure.

**Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P284 [In case of inadequate ventilation] wear respiratory protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

**Additional information:**

Contains isocyanates. May produce an allergic reaction.

**2.3 Other hazards**

**Results of PBT and vPvB assessment**

**PBT:**

Not applicable.

**vPvB:**

Not applicable.

**SECTION 3: Composition/information on ingredients**

**3.2 Chemical characterisation: Mixtures**

**Description:**

Resin mixture.  
Mixture consisting of the following components.

**Dangerous components:**

CAS: 9016-87-9	diphenylmethanediisocyanate, isomeres and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	≥10-<25%
CAS: 6425-39-4 EINECS: 229-194-7	2,2'-dimorpholinyl-diethyl ether Eye Irrit. 2, H319	<5%

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 20.07.2018

Trade name MC-Injekt 2133 flex

· **Additional information**

For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 2)

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information**

Instantly remove any clothing soiled by the product.  
Take affected persons into the open air.  
Seek medical treatment.

· **After inhalation**

Supply fresh air.  
Seek immediate medical advice.

· **After skin contact**

Instantly wash with water and soap and rinse thoroughly.

· **After eye contact**

Rinse opened eye for several minutes under running water.  
Seek medical treatment.

· **After swallowing**

Call a doctor immediately.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents** Use fire fighting measures that suit the environment.  
Extinguishing powder. Do not use water.

· **For safety reasons unsuitable extinguishing agents**

Water.

· **5.2 Special hazards arising from the substance or mixture**

Can be released in case of fire  
Carbon monoxide (CO)  
Nitrogen oxides (NOx)  
Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:  
Hydrogen cyanide (HCN)

· **5.3 Advice for firefighters**

· **Protective equipment:**

Wear self-contained breathing apparatus.

· **Additional information**

Cool endangered containers with water spray jet.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
Collect contaminated fire fighting water separately. It must not enter drains.

GB

(Contd. on page 4)



BE SURE. BUILD SURE.

Page 4/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 20.07.2018

Trade name MC-Injekt 2133 flex

(Contd. of page 3)

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
*Ensure adequate ventilation  
Use breathing protection against the effects of fumes/dust/aerosol.*
- **6.2 Environmental precautions:**  
*Prevent material from reaching sewage system, holes and cellars.*
- **6.3 Methods and material for containment and cleaning up:**  
*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste according to item 13.  
Ensure adequate ventilation.*
- **6.4 Reference to other sections**  
*See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.*

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
*Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.*
- **Information about protection against explosions and fires:**  
*No special measures required.*
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**  
*Store only in the original container.*
- **Information about storage in one common storage facility:**  
*Store away from foodstuffs.*
- **Further information about storage conditions:**  
*Keep container tightly sealed.*
- **7.3 Specific end use(s)**  
*No further relevant information available.*

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:**  
*No further data; see item 7.*
- **8.1 Control parameters**
- **Components with critical values that require monitoring at the workplace:**  
*The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.*

(Contd. on page 5)

GB



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 20.07.2018

Trade name MC-Injekt 2133 flex

(Contd. of page 4)

· **DNELs**

**9016-87-9 diphenylmethanediisocyanate, isomeres and homologues**

Dermal DNEL 50 mg/kg bw/day (°)

Inhalative DNEL 0.1 mg/m<sup>3</sup> (°)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

Do not inhale gases / fumes / aerosols.  
Keep away from foodstuffs, beverages and food.  
Instantly remove any soiled and impregnated garments.  
Wash hands during breaks and at the end of the work.  
Avoid contact with the eyes and skin.  
Do not eat, drink or smoke while working.

· **Breathing equipment:**

Short term filter device:  
In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

· **Protection of hands:**

Protective gloves.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  
After use of gloves apply skin-cleaning agents and skin cosmetics.

· **Material of gloves**

Butyl rubber, BR  
Nitrile rubber, NBR  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Safety glasses  
Tightly sealed safety glasses.

· **Body protection:**

Protective work clothing.

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Fluid  
Colour: Yellow  
Smell: Recognisable

(Contd. on page 6)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 20.07.2018

Trade name MC-Injekt 2133 flex

(Contd. of page 5)

· <b>Change in condition</b> Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	190 °C
· <b>Flash point:</b>	> 100 °C
· <b>Ignition temperature:</b>	400 °C
· <b>Self-inflammability:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product is not explosive.
· <b>Density at 20 °C</b>	1.03 g/cm <sup>3</sup>
· <b>Solubility in / Miscibility with Water:</b>	Readily soluble
· <b>Viscosity:</b> dynamic at 20 °C:	800 mPas
kinematic:	Not determined.
· <b>9.2 Other information</b>	No further relevant information available.

#### SECTION 10: Stability and reactivity

· <b>10.1 Reactivity</b>	No further relevant information available.
· <b>10.2 Chemical stability</b>	
· <b>Thermal decomposition / conditions to be avoided:</b>	No decomposition if used according to specifications.
· <b>10.3 Possibility of hazardous reactions</b>	Reacts with amines
· <b>10.4 Conditions to avoid</b>	No further relevant information available.
· <b>10.5 Incompatible materials:</b>	No further relevant information available.
· <b>10.6 Hazardous decomposition products:</b>	No dangerous decomposition products known

#### SECTION 11: Toxicological information

· <b>11.1 Information on toxicological effects</b>	
· <b>Acute toxicity</b>	Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

**9016-87-9 diphenylmethanediisocyanate, isomeres and homologues**

Oral	LD50	>10,000 mg/kg (Rat)
Dermal	LD50	>5,000 mg/kg (Rab)
Inhalative	LC50/4 h	~450 mg/l (Rat)

· <b>Primary irritant effect:</b>	
· <b>Skin corrosion/irritation</b>	Causes skin irritation.
· <b>Serious eye damage/irritation</b>	Causes serious eye irritation.

(Contd. on page 7)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 20.07.2018

Trade name MC-Injekt 2133 flex

(Contd. of page 6)

- **Respiratory or skin sensitisation** *May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause an allergic skin reaction.*
- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** *Based on available data, the classification criteria are not met.*
- **Carcinogenicity** *Suspected of causing cancer.*
- **Reproductive toxicity** *Based on available data, the classification criteria are not met.*
- **STOT-single exposure** *May cause respiratory irritation.*
- **STOT-repeated exposure** *May cause damage to organs through prolonged or repeated exposure.*
- **Aspiration hazard** *Based on available data, the classification criteria are not met.*

#### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **12.2 Persistence and degradability** *No further relevant information available.*
- **12.3 Bioaccumulative potential** *No further relevant information available.*
- **12.4 Mobility in soil** *No further relevant information available.*
- **Additional ecological information:**
- **General notes:** *Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.*
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **12.6 Other adverse effects** *No further relevant information available.*

#### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** *Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*

· **European waste catalogue**

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 01 00	wastes from MFSU and removal of paint and varnish
08 01 11	waste paint and varnish containing organic solvents or other dangerous substances

(Contd. on page 8)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 20.07.2018

Trade name MC-Injekt 2133 flex

(Contd. of page 7)

- **Uncleaned packagings:**
- **Recommendation:**

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.  
The material cures to a solid polymer which does not migrate into earth or water. Packagings treated in this way can be disposed or treated in metal melting plants.

#### SECTION 14: Transport information

- **14.1 UN-Number**  
· **ADR, ADN, IMDG, IATA** Void
- **14.2 UN proper shipping name**  
· **ADR, ADN, IMDG, IATA** Void
- **14.3 Transport hazard class(es)**  
· **ADR, ADN, IMDG, IATA**  
· **Class** Void
- **14.4 Packing group**  
· **ADR, IMDG, IATA** Void
- **14.5 Environmental hazards:**  
· **Marine pollutant:** No
- **14.6 Special precautions for user** Not applicable.
- **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.
- **UN "Model Regulation":** Void

#### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases** H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.

(Contd. on page 9)





BE SURE. BUILD SURE.

Page 9/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.11.2018

Revision: 20.07.2018

**Trade name MC-Injekt 2133 flex**

(Contd. of page 8)

*H332 Harmful if inhaled.*

*H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.*

*H335 May cause respiratory irritation.*

*H351 Suspected of causing cancer.*

*H373 May cause damage to organs through prolonged or repeated exposure.*

· **Department issuing data specification sheet:**

*Environment protection department.*

· **Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*ICAO: International Civil Aviation Organisation*

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*DNEL: Derived No-Effect Level (REACH)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Acute Tox. 4: Acute toxicity – Category 4*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*

*Resp. Sens. 1: Respiratory sensitisation – Category 1*

*Skin Sens. 1: Skin sensitisation – Category 1*

*Carc. 2: Carcinogenicity – Category 2*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

*STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2*

· **\* Data compared to the previous version altered.**

GB